

08/31/00

jc715 U.S. PTO

**UTILITY
PATENT APPLICATION
TRANSMITTAL**

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No. 2000 1191A

Total Pages :

First Named Inventor or Application Identifier

Yukie SHODA et al.

Express Mail Label No.:

APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents.

ADDRESS TO:

Assistant Commissioner for Patents
Box Patent Application
Washington, D.C. 20231

1. ☒ Fee Transmittal Form
(Submit an original, and a duplicate for fee processing)
2. ☒ Specification [Total Pages -40]
(preferred arrangement set forth below)
- Descriptive title of the Invention
 - Cross References to Related Applications
 - Statement Regarding Fed sponsored R & D
 - Reference to Microfiche Appendix
 - Background of the Invention
 - Brief Summary of the Invention
 - Brief Description of the Drawings (if filed)
 - Detailed Description
 - Claim(s)
 - Abstract of the Disclosure
3. ☒ Drawing(s) (35 USC 113) [Total sheets -18]
4. ☒ Oath or Declaration [Total Pages - 3]
- a.1. ☒ Newly executed (original or copy)
- a.2. ☐ Unexecuted
- b. ☐ Copy from a prior application (37 CFR 1.63(d))
(for continuation/divisional with Box 17 completed)
[Note Box 5 below]
- i. ☐ DELETION OF INVENTOR(S)
Signed statement attached deleting inventor(s)
named in the prior application, see 37 CFR
1.63(d)(2) and 1.33(b).
5. ☐ Incorporation By Reference
(usable if Box 4b is checked)
The entire disclosure of the prior application, from which
a copy of the oath or declaration is supplied under Box
4b, is considered as being part of the disclosure of the
accompanying application and is hereby incorporated by
reference therein.
6. Microfiche Computer Program (Appendix)
7. ☐ Nucleotide and/or Amino Acid Sequence Submission
(if applicable, all necessary)
- a. ☐ Computer Readable Copy
 - b. ☐ Paper Copy (identical to computer copy)
 - c. ☐ Statement verifying identity of above copies
- ACCOMPANYING APPLICATION PARTS**
8. ☒ Assignment Papers (cover sheet & document(s))
9. ☐ 37 CFR 3.73(b) Statement ☐ Power of Attorney
(when there is an assignee)
10. ☐ English Translation Document (if applicable)
11. ☒ Information Disclosure Statement (IDS)/PTO-1449
☒ Copies of IDS Citations
12. ☐ Preliminary Amendment
13. ☒ Return Receipt Postcard (MPEP 503)
(Should be specifically itemized)
14. ☐ Small Entity Statement(s)
- ☐ Statement filed in prior application, Status still proper and desired
15. ☒ Certified Copy of Priority Document(s) w/Formal Priority Claim
(if foreign priority is claimed)
16. ☐ Other

THE COMMISSIONER IS AUTHORIZED
TO CHARGE ANY DEFICIENCY IN THE
FEE FOR THIS PAPER TO DEPOSIT
ACCOUNT NO. 23-0975.

17. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information:
☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior Application No.

18. CORRESPONDENCE ADDRESSWENDEROTH, LIND & PONACK, L.L.P.
2033 "K" Street, N.W.
Suite 800
Washington, D.C. 20006
Phone:(202) 721-8200
Fax:(202) 721-8250

August 31, 2000

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of :
Yukie SHODA et al. :
Serial No. [NEW] : Attn: APPLICATION BRANCH
Filed August 31, 2000 : Attorney Docket No. 2000-1191A
COPYRIGHTED DATA PROCESSING :
METHOD AND APPARATUS :

PATENT OFFICE FEE TRANSMITTAL FORM

Assistant Commissioner for Patents
Washington, DC 20231

Sir:

Attached hereto is a check in the amount of \$ 730.00 to cover Patent Office fees relating to filing the following attached papers:

New application \$ 690.00

A duplicate copy of this paper is being submitted for use in the Accounting Division, Office of Finance.


The Commissioner is authorized to charge any deficiency or to credit any overpayment associated with this communication to Deposit Account No. 23-0975, with the EXCEPTION of deficiencies in fees for multiple dependent claims in new applications.

Respectfully submitted,

Yukie SHODA et al.

THE COMMISSIONER IS AUTHORIZED
TO CHARGE ANY DEFICIENCY IN THE
FEE FOR THIS PAPER TO DEPOSIT
ACCOUNT NO. 23-0975.

By


Nils E. Pedersen
Registration No. 33,145
for Charles R. Watts
Registration No. 33,142
Attorney for Applicants

CRW/pjm
WENDEROTH, LIND & PONACK, L.L.P.
2033 K St., N.W., Suite 800
Washington, D.C. 20006
Telephone (202) 721-8200
August 31, 2000

[Check No. 35579]

2000-1191A

TITLE OF THE INVENTION

COPYRIGHTED DATA PROCESSING METHOD AND APPARATUS

BACKGROUND OF THE INVENTION

5 Field of the Invention

The present invention relates to a method and apparatus for processing copyrighted data, and more specifically, to a method and apparatus for processing copyrighted data distributed through a network.

10

Description of the Background Art

In recent years, various digitized information has become widely available, and a large number of digital productions have been distributed with multimedia contents including images and sounds. Such digital productions are provided for users through recording media such as CD-ROMs or communication means such as the Internet. Especially, downloading digital productions to personal computers through a communication network is a convenient distribution method, and therefore this method is expected to wildly spread. Digital productions are easy to copy without deteriorating in characteristic. For this reason, copyright protection for digital productions is highly required.

15

20

For protecting copyright for digital productions, the following conventional arts have been known. A first conventional art is a contents control method used in a music

25

distribution system, which has been published in "Internet-based music distribution requires immediate improvements in copyright protection technologies", Nikkei Electronics, Issue, no. 738, March, 8, 1999, PP. 87-111. In the contents control method, a

5 file containing encrypted music data (hereinafter referred to as file A) and a file containing control information, a decryption key for decrypting the file A, and others (hereinafter referred to as file B) are distributed through a communication network. To play back the music data contained in the file A, it is

10 determined, with reference to the control information contained in the file B, whether or not the file A is allowed to be played back or copied.

FIG. 17 is a block diagram showing the structure of a data processing apparatus using the first conventional art. The data

15 processing apparatus shown in FIG. 17 is connected to a communication network (not shown) when in use. A distributed data storage unit 101 stores the file A distributed through a communication network such as the Internet and CATV (Cable TV). A copyright management table 102 stores the file B distributed

20 through the communication network in relation to the file A. A purchase process unit 103 communicates with a billing server (not shown) to purchase a process right required for playback and other processes, and records the purchased process right in the copyright management table 102. When an instruction is inputted

25 by an input unit 104, a control unit 105 determines, with reference

to the process right recorded in the copyright management table 102, whether the instruction is to be executed or not. A playback unit 106 receives a decryption key contained in the file B from the control unit 105, and plays back the music data contained in the file A.

As a second conventional art, a method of preventing unauthorized copy by encrypting digital data has been known, which is disclosed in Japanese Patent Laid-Open Publication No. 9-320192 (1997-320192). FIG. 18 is a diagram showing the structure of a copyright protection apparatus according to the second conventional art. The copyright protection apparatus shown in FIG. 18 is characterized in that digital data read from a disk 111 is encrypted before being placed on a bus 114. In other words, a data format unit 112 provides the data read from the disk 111 with encryption start information, an encryption key, information about a unit of encryption, copy management information indicating whether data copy is allowed or not, and identification information of an encryption algorithm to be used. An encryption unit 113 encrypts the data using the encryption key provided by a key delivery unit 110. The encrypted data flows on the bus 114. A decryption unit 115 decrypts the data using a decryption key provided by the key delivery unit 110. The decrypted data is restored by a data format unit 116 to the state as it was read from the disk 111, and then played back by a playback unit 117.

As such, according to the first conventional art, received

copyrighted data can be processed within a purchased process right, while, according to the second one, copyrighted data can be protected from unauthorized copy.

In these conventional arts, however, the process right
5 required for processing copyrighted data is not presented to the user in an appropriate manner. Therefore, the user cannot recognize which process can be executed on each data item.

SUMMARY OF THE INVENTION

10 Therefore, an object of the present invention is to provide a copyrighted data processing method and apparatus with operability improved by displaying a process right for copyrighted data on a screen in an appropriate representation manner.

15 The present invention has the following features to achieve the object above.

A first aspect of the present invention is directed to a data processing apparatus executing a process on copyrighted data within a right obtained, comprising a data storage unit operable
20 to store the data; a right information storage unit operable to store a process right that is required for the process on the data stored in the data storage unit; an input unit operable to input an instruction on the data stored in the data storage unit; a control unit operable to determine, based on the process right
25 stored in the right information storage unit, whether the

instruction is to be executed or not; a process execution unit operable to execute the instruction; and a display unit operable to display the process right stored in the right information storage unit on a screen. Therefore, the user can easily
5 recognize which process can be executed on each data item.

The data processing apparatus may further include a data receiving unit for receiving the data stored in the data storage unit through a communication channel, and obtaining the process right stored in the right information storage unit through the
10 communication channel. Therefore, the user can easily recognize which process can be executed on each data item received from the communication channel.

Furthermore, the process execution unit may include a data copy unit for copying the data stored in the data storage unit
15 to a removable storage medium, and deleting the data copied to the storage medium based on a determination by the control means. Therefore, the user can easily recognize whether or not each data item can be copied to the external storage medium and deleted therefrom.

20 In this case, the right information storage unit may store storage medium information for identifying the storage medium, and the display unit may display the storage medium information on a screen. More preferably, when the input unit selects the data copied to the storage medium, the display unit may display
25 the storage medium information of the storage medium on the screen.

As the storage medium information, a storage medium identifier unique to the storage medium or an identifier assigned to the storage medium for identification may be used. Therefore, the user can easily recognize to which external storage medium the data has been copied.

Still further, the control unit may output a warning signal when determining that the instruction for copying the data to the storage medium or deleting the data from the storage medium is not to be executed, and the display unit may display a warning screen based on the warning signal. More preferably, the display unit may make on the screen a display for prompting a user to obtain a process right required for data copy. Therefore, the user can easily recognize that the data copy instruction or data deletion instruction has not been executed, and can immediately obtain a right to copy the data through the warning screen.

Still further, the display unit may display one or more icons corresponding to the process right stored in the right information storage unit on the screen. More preferably, the display unit may display on the screen as many icons as the number of executions specified by the process right stored in the right information storage unit. Therefore, the user can easily recognize the limit on the number of executions specified by the process right.

Still further, the display unit may display on the screen the process right to data that can be processed in a set process

mode. Also, the display unit may display on the screen the process right stored in the right information storage unit by switching a display method based on the set display mode. Therefore, only the data that can be processed is displayed, thereby preventing the user from erroneously inputting an instruction for data that cannot be processed.

Still further, the control unit may output a warning signal when determining that the instruction is not to be executed, and the display unit may display a warning screen based on the warning signal. Therefore, the user can easily recognize that the instruction has not been executed.

A second aspect of the present invention is directed to a data processing method for executing a process on copyrighted data within a right obtained, comprising the steps of: storing the data; storing a process right that is required for the process on the data stored in the data storing step; inputting an instruction for the data stored in the storing step; determining, based on the process right stored in the storing step, whether the instruction is to be executed or not; executing the instruction; and displaying the process right stored in the storing step on a display.

A third aspect of the present invention is directed to a recording medium recording a program for executing, on a computer, the data processing method of the second aspect of the present invention.

According to the second or third aspect of the invention,
the user can easily recognize which process can be executed on
each data item.

As stated above, the copyrighted data processing method and
5 apparatus according to the present invention provide the user with
excellent usability, which is quite effective in practical use.

These and other objects, features, aspects and advantages
of the present invention will become more apparent from the
following detailed description of the present invention when
10 taken in conjunction with the accompanying drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a block diagram showing the structure of a data
processing apparatus according to a first embodiment of the
15 present invention;

FIG. 2 is a diagram showing the structure of a music
distribution system using the data processing apparatus;

FIGS. 3a to 3c are diagrams showing formats of music data
to be handled by the data processing apparatus;

20 FIG. 4 is a diagram exemplarily showing a purchase
management table in the data processing apparatus;

FIG. 5 is a diagram exemplarily showing a copyright
management table in the data processing apparatus;

FIG. 6 is a flowchart showing the operation of a control
25 unit in the data processing apparatus;

FIG. 7 is a diagram exemplarily showing a display screen of the data processing apparatus;

FIG. 8 is a table showing a correlation between a process mode and displayed contents in the data processing apparatus;

5 FIG. 9 is a table showing a correlation between display modes and display methods in the data processing apparatus;

FIG. 10 is a table showing a correlation between the two modes and the display methods in the data processing apparatus;

10 FIG. 11 is a flowchart showing the operation of a display unit in the data processing apparatus;

FIG. 12 is a block diagram showing the structure of a data processing apparatus according to a second embodiment of the present invention;

15 FIGS. 13a and 13b are diagrams exemplarily showing display screens during and after a check-out process carried out by the data processing apparatus according to the second embodiment;

FIGS. 14a and 14b are diagrams exemplarily showing display screens during and after a check-in process carried out by the data processing apparatus according to the second embodiment;

20 FIG. 15 is a block diagram showing the structure of a data processing apparatus according to a third embodiment of the present invention;

FIGS. 16a and 16b are diagrams showing formats of reference data to be handled by the data processing apparatus according to
25 the third embodiment;

FIG. 17 is a block diagram showing the structure of a conventional data processing apparatus; and

FIG. 18 is a block diagram showing the structure of a conventional copyright protection apparatus.

5

DESCRIPTION OF THE PREFERRED EMBODIMENTS

(First Embodiment)

FIG. 1 is a block diagram showing the structure of the data processing apparatus according to a first embodiment of the present invention. The data processing apparatus 1 shown in FIG. 1 includes an input unit 10, a distributed data storage unit 11, a purchase management table 12, a purchase process unit 13, a data conversion unit 14, an internal data storage unit 15, a copyright management table 16, a control unit 17, a playback unit 18, a check-out/check-in unit 19, a mode storage unit 20, and a display unit 21. The data processing apparatus 1 carries out playback, copy, and other processes on distributed copyrighted music data, and is characterized in that a process right to the distributed music data is displayed on a screen.

Prior to detailed description of the data processing apparatus 1, music distribution system using the data processing apparatus 1 and formats of music data handled in the data processing apparatus 1 are now described with reference to FIGS. 2 and 3.

As shown in FIG. 2, the data processing apparatus 1 is

connected through a communication network 4 to a distribution server 5 and a billing server 6. The communication network 4 is a network such as the Internet, or a network for CATV, satellite communications, or cellular phones. The distribution server 5 stores a large amount of copyrighted music data. In response to a request from the data processing apparatus 1, the distribution server 5 distributes the music data. The billing server 6 carries out a billing process for the distributed music data. External storage media 7 are structured removable from both the data processing apparatus 1 and a portable music player 8. The data processing apparatus 1 identifies each external storage medium 7 by using a storage medium identifier unique to each medium 7 or a label name specified by the user for each medium 7.

Copyright management for music data is now briefly described below. The distribution server 5 distributes encrypted music data and a decryption key for decrypting encryption to the data processing apparatus 1. The data processing apparatus 1 transmits information that the user agrees to pay for the music data to the billing server 6 before or after distribution in order to purchase a process right to the distributed music data. For example, the data processing apparatus 1 plays back the music data using the decryption key as many times as the number of playbacks specified by the purchased right.

Moreover, the data processing apparatus 1 can copy the music

data and its decryption key to the external recording medium 7 (such processing hereinafter referred to as check-out) and delete the copied music data from the external recording medium 7 (such processing hereinafter referred to as check-in). The data processing apparatus 1 can check out the music data as many times as the number of check-outs specified by the purchased right. A check-out right that allows check-out once is recovered when the checked-out data is checked in. However, the music data can be checked in only by the data apparatus that has checked out the music data. Moreover, if the external storage medium to which edit-protected music data is checked out is written upon, the data processing apparatus 1 does not check in the music data.

Furthermore, the data processing apparatus 1 can also transfer the music data, decryption key, and process right together at once to another data processing apparatus (such processing hereinafter referred to as move). After move process, no process right remains in the data processing apparatus 1.

The music data handled by the data processing apparatus 1 includes, in addition to audio contents, contents such as video, images, text, and programs. FIGS. 3a to 3c are diagrams showing three music data formats handled by the data processing apparatus 1. A distribution format shown in FIG. 3a is used for distributing the music data. An internal format shown in FIG. 3b is used for storing the music data in the data processing apparatus 1. A copy format shown in FIG. 3c is used for checking out the music data

to the external storage medium 7.

The music data is distributed to the data processing apparatus 1 by a unit called package. In the distribution format shown in FIG. 3a, the package is composed of four data items: a
5 header 40, navigation information 41, one or more contents 42, and billing information 43. The header 40 includes information such as a package identifier for identifying the package and information about the position and size of other data. The content 42 is content data such as audio, video, images, text,
10 or programs. Each content has its own content identifier that is unique within the package, and is encrypted as required.

The navigation information 41 is used as playback control information used for controlling music data playback. For referring to each content 42 from the navigation information 41,
15 the content identifier is used. A content included in the package to which the navigation information belongs is referred to only with its content identifier, while a content in another package is referred to with its package identifier and content identifier. The billing information 43 includes a use condition, price, and
20 decryption key for each content 42.

In the data processing apparatus 1, the music data is handled with the billing information 43 removed therefrom. In the internal format shown in FIG. 3b, the music data is composed of the header 40, the navigation information 41, and the contents
25 42.

The music data is converted into a format appropriate to the type of the external recording medium 7 before being checked out thereto. For example, if the external storage medium 7 is an SD (Secure Digital) memory card, the music data is converted
5 into a format so that audio contents for the SD memory card are included and video contents are not included therein. In the copy format shown in FIG. 3c, the music data is composed of a header 44, the content 42, and the decryption key 45. The header 44 conforms to the type of the external storage medium 7. The
10 decryption key 45 is extracted from the billing information 43 in the distribution format. The content 42 is content data selected based on the type of the external storage medium 7 from the music data in the internal format. The music data shown in FIG. 3c includes only a single content 42, but may include two
15 or more contents. When the music data is checked out, the music data in the copy format may be divided into a plurality of files for copy.

In addition to the content data distributed by the distribution server 5, content data read from CDs may be processed
20 by the data processing apparatus 1. Such data is called ripped contents.

Referring back to FIG. 1, the structure of the data processing apparatus 1 is described below. The operation of the data processing apparatus 1 is now briefly described. The
25 distributed music data is converted into an internal format by

the data conversion unit 14, and then stored in the internal data storage unit 15. Information about the right to process each content included in the music data is recorded in the copyright management table 16. The control unit 17 refers to the copyright management table 16 to determine whether an inputted instruction 30 is to be executed or not. If determining that the instruction is to be executed, the control unit 17 makes an instruction for starting playback, check-out, and other process.

The user inputs the instruction 30 for the content with the input unit 10. The instructions described in the present embodiment are those for distribution, purchasing, playback, check-out, check-in, move, and mode setting. In addition, other examples include instructions for data classification, data editing, data search, import, export, adding user data, taking in ripped contents, and authorization check. Furthermore, the input unit 10 outputs position information 34 obtained from a pointing device such as a mouse.

The distributed data storage unit 11 stores music data in a distribution format distributed by the distribution server 5. The purchase management table 12 stores, as shown in FIG. 4, a package identifier 50, a content identifier 51, and a purchase condition 52 as a set for each content included in the music data stored in the distributed data storage unit 11. The purchase condition is specified at the purchase of the content. For example, such condition includes playback only, full purchase,

test-listening. If the purchase condition is playback only, the content can be played back only a specified number of times or only in a specified period. If the purchase condition is full purchase, the content can be freely played back and checked out only a specified number of times. If the purchase condition is test-listening, the content can be played back an unlimited number of times within a specified time period.

When receiving from the input unit 10 the instruction 30 for purchasing, the purchase process unit 13 sends information that the user agrees to pay the music data to the billing server 6 to purchase a right to the distributed music data. Thereafter, the purchase processing unit 13 records the purchased process right in the purchase management table 12. If the specified content is not stored in the distributed data storage unit 11, the purchase process unit 13 requests the distribution server 5 to distribute the music data containing the content. After receiving the music data, the purchase processing unit 13 provides the data conversion unit 14 with a control signal 31 for instructing data conversion.

Receiving the control signal 31, the data conversion unit 14 converts the specified music data into the internal format. In other words, the data conversion unit 14 separates the billing information 43 from the distributed package to obtain the music data in the internal format. The data conversion unit 14 also extracts the decryption key for each content from the billing

information 43, and records the decryption key in the copyright management table 16.

The internal data storage unit 15 stores the music data in the internal format outputted from the data conversion unit 14.

5 The stored music data is to be played back, checked out, etc.

The copyright management table 16 stores, as shown in FIG. 5, copyright management information for each content stored in the internal data storage unit 15. The copyright management table 16 includes the package identifier 50, the content identifier 51, 10 the purchase condition 52, date of right purchasing 53, a decryption key 54, the number of playbacks 55, the number of check-outs 56, and check-out destination information 57. Note that FIG. 5 shows a single table divided into two parts indicated by (a) and (b), and in the table before being divided, the number 15 of playbacks 55 follows the decryption key 54.

The package identifier 50, the content identifier 51, and the purchase condition 52 are the same data as that stored in the purchase management table 12. The date of right purchasing 53 indicates the date of purchasing the content. The decryption key 20 54 is used to decrypt encryption of the content. The number of playbacks 55 indicates the number of times the content has been played back. The number of check-outs 56 indicates the number of times the content has been checked out. The check-out destination information 57 includes a storage medium identifier 25 and a label name for the external storage medium to which the

content has been checked out. The label name is assigned to the external storage medium when the music data is first checked out thereto.

The package identifier 50, the content identifier 51, the purchase condition 52, the date of right purchasing 53, and the decryption key 54 are set to predetermined values when new music data is stored in the internal data storage unit 15. The number of playbacks 55 and the number of check-outs 56 are initialized to 0, while the check-out destination information 57 is cleared. The copyright management table 16 is encrypted with an encryption method unique to the data processing apparatus 1 for protection against data tampering.

The control unit 17 refers to the copyright management table 16 to determine whether the instruction 30 is to be executed or not. When determining that the instruction 30 is to be executed, the control unit 17 makes an instruction for starting playback or check-out. With reference to a flowchart shown in FIG. 6, the operation of the control unit 17 is now described. When receiving the instruction 30 for the content (step S101), the control unit 17 reads the copyright management information of that content from the copyright management table (step S102). The control unit 17 then uses the read copyright management information to determine whether the instruction 30 is to be executed or not (step S103). For example, when receiving a playback instruction, the control unit 17 refers to the number of allowable playback or the allowable

5 playback period included in the purchase condition 52. If the number of playbacks is not more than the number of allowable playbacks or if today is within the allowable playback period after the date of right purchasing 53, the control unit 17 determines that the playback instruction is to be executed.

When determining that the instruction is to be executed, the control unit 17 updates the number of playbacks 55, the number of check-outs 56, or other relevant items included in the copyright management table 16 (step S104). The control unit 17 then outputs a control signal 32 for starting the process to a relevant process execution unit (step S105). At this time, the control unit 17 also outputs the decryption key 54 read from the copyright management table 16 as being included in the control signal 32. On the other hand, when determining that the instruction is not to be executed, the control unit 17 outputs the control signal 32 for warning display to the display unit 21 (step S106).

When receiving the control signal 32 for starting playback, the playback unit 18 reads the specified content from the music data stored in the internal data storage unit 15, and plays back the content using the received decryption key 54.

When receiving the control signal 32 for starting check-out , the check-out/check-in process unit 19 reads the specified content from the music data stored in the internal data storage unit 15, converts it to the copy format, and writes the converted

music data in the external storage medium 7. When receiving the control signal 32 for starting check-in, the check-out/check-in unit 19 deletes the music data copied to the external storage medium 7.

5 The check-out/check-in unit 19 also reads the storage medium identifier 33 from the external storage medium 7, and outputs it to the control unit 17. The control unit 17 records the received storage medium identifier 33 in the copyright management table 16 after check-out. The control unit 17 also
10 determines before check-in whether check-in can be performed or not, depending on whether the received storage medium identifier 33 has been recorded in the copyright management table 16 or not.

 For switching a screen display by the display unit 21, a mode storage unit 20 stores two types of mode information: a
15 process mode and a display mode. Such mode information is set by the instruction 30 for mode setting. Alternatively, such mode information may be automatically set based on the inputted instruction. The display unit 21 generates a screen for displaying the process right based on the copyright information
20 stored in the copyright management table 16, and displays the screen on a CRT or liquid crystal display.

 FIG. 7 is a diagram showing an example of a screen displayed on the display unit 21. On a display screen 60 shown in FIG. 7, titles and process rights for five contents 61 to 65 are displayed.
25 The titles are displayed by using character strings, while the

process rights by using icons. The check-out right that allows check-out of the content once is displayed by using a square icon with a picture representing a house therein. An unused check-out right is displayed by using an icon 68 without hatching, while
5 a used check-out right (that is, check-out has been carried out using this check-out right) is displayed by using a hatched icon 69. If no check-out right is available, an icon 70 with a cross placed thereon is used. A playback right to the content is displayed by using a square icon 71 with a picture representing
10 a speaker therein.

Through the display screen 60 as shown in FIG. 7, it can be easily recognize that each content can be processed as follows. A content 61 titled "AAAAA" can be checked out only once. A content 62 titled "BBBBB" can be played back but cannot be checked
15 out. A content 63 titled "CCCCC" cannot be checked out because its two check-out rights are being used. A content 64 titled "DDDDD" can be checked out only once because one of two check-out rights is now in use. A content 65 titled "EEEEEE" can be checked out only once and played back.

20 An icon 66 shaped like a CD indicates that a content attached thereto has been ripped from a CD. Therefore, the icon 66 shown in FIG. 7 indicates that the content 65 is a ripped content. A comment display 67 indicates a storage medium identifier and label name of the external storage medium to which the content is checked
25 out. Therefore, the comment display 67 shown in FIG. 7 indicates

that the content 65 has been checked out to the external storage medium 7 with a storage medium identifier SD54862. The comment display 67 is displayed when the pointing device points to the icon that indicates the check-out right now being used.

5 FIG. 8 is a table showing a correlation between the process modes set in the mode storage unit 20 and the contents displayed in each process mode. The process mode is, as shown in FIG. 8, either of playback, check-out, or move. In the playback mode, contents whose playback right has been obtained and which satisfy
10 a playback condition are displayed together with ripped contents that can be checked out. In the check-out mode, purchased or ripped contents that satisfy a check-out condition are displayed. In the move mode, purchased or ripped contents that have not been checked out are displayed.

15 FIG. 9 is a table showing a correlation between the display modes set in the mode storage unit 20 and display methods in these display modes. The display mode is, as shown in FIG. 9, either of minimum display, selection-disabled display, icon display, or normal display. In the minimum display mode, only the titles and
20 playback durations of contents that can be processed are displayed. In the selection-disabled display, titles and playback durations of all contents are displayed, but contents that cannot be processed are differently displayed, for example, in gray. In the icon display, in addition to the titles and playback durations
25 of all contents, the process rights to all contents are displayed

with icons. In the normal display, copyright management information for all contents is displayed in a table form.

As shown in FIG. 10, the display unit 21 switches screen display based on the process mode and display mode set in the mode storage unit 20. The display screen 60 shown in FIG. 7 is in the icon display. The table shown in FIG. 10 is only an example for screen switching, and the screen switching method is not limited thereto.

With reference to a flowchart shown in FIG. 11, the operation of the display unit 21 is now described. The display unit 21 first initializes a display screen (step S201). Then, the display unit 21 reads the process mode and display mode from the mode storage unit 20 (step S202). The display unit 21 then obtains the condition for displaying the content by referring to the table shown in FIG. 10 with the read two types of operational modes (step S203). The display unit 21 then determines whether the condition obtained in step S203 is satisfied or not for each content in the copyright management table 16 (step S205), and adds the copyright management information of the content satisfying the condition to the display screen (step S206). In step S206, a character string indicating the title and an icon indicating the process right are added to the display screen based on the display mode. Steps S204 through S207 are repeated until all contents are examined.

The display unit 21 then receives position information 34

from the input unit 10 (step S208). The position information 34 indicates a position inputted on the screen by the pointing device such as a mouse. The display unit 21 determines whether or not the position indicated by the position information 34 is located within an area in which the icon indicative of the check-out right in use is displayed (step S209). If the position is within that area, the display unit 21 reads the check-out destination information 57 from the copyright management table 16 (step S210), and adds the comment display 67 to the display screen (step S211). If the position is not within that area, the display unit 21 does not add the comment display 67 to the display screen. Thereafter, the display unit 21 displays the whole screen (step S212). Thus, the display screen 60 is displayed as shown in FIG. 7.

As stated above, the data processing apparatus according to the present embodiment processes the distributed content within the obtained process right, and displays the process right to each content. Therefore, the user can easily recognize which process can be executed for each content. Furthermore, the user can set the mode information to switch the display mode for displaying the right. Therefore, only the processable contents can be displayed, thereby preventing erroneous input of an instruction for a content that cannot be processed. Still further, when a mode for displaying an icon for each right that allows execution once is selected, the user can easily recognize the limit on the number of executions specified by the right. Still

further, the information about the external storage medium to which the content has been checked out is displayed. Therefore, the user can easily recognize to which external storage medium the music data has been checked out.

5 In the present embodiment, one icon is displayed for each right that allows execution once. Alternatively, the number of executions specified by the right may be numerically expressed for display, allowing a large number of executions to be displayed in a smaller area. Moreover, although the label name is displayed
10 as a character string in the present embodiment, it may be displayed as image data. A label with such character string or image data printed thereon may be affixed to the external storage medium for easy identification.

(Second Embodiment)

15 FIG. 12 is a block diagram showing the structure of a data processing apparatus according to a second embodiment of the present invention. The data processing apparatus 2 shown in FIG. 12 includes an input unit 22, the distributed data storage unit 11, the purchase management table 12, the purchase process unit
20 13, the data conversion unit 14, the internal data storage unit 15, the copyright management table 16, the control unit 17, the playback unit 18, the check-out/check-in unit 19, the mode storage unit 20, and a display unit 23. The data processing unit 2 is used in the same music distribution system as that for the data
25 processing unit 1 according to the first embodiment. The data

processing unit 2 is characterized in that a warning screen is displayed when a process is not allowed. The components in the second embodiment identical to those in the first embodiment are provided with the same reference numerals, and their description is omitted herein.

The data processing apparatus 2 displays screens shown in FIGS. 13a and 13b for check-out, while displaying screens shown in FIGS. 14a and 14b for check-in. FIGS. 13a and 13b are diagrams showing display screens during and after a check-out process, respectively. FIGS. 14a and 14b are diagrams showing display screens during and after a check-in process, respectively. Note that arrows A1 to A4 are for the purpose of explanation only, and not displayed on the screen.

As shown in FIG. 13a, on a display screen 72 during the check-out process, a sub-screen 73 indicating contents in the data processing apparatus 2 and a sub-screen 74 indicating contents in the external storage medium 7 are displayed. The user selects an icon indicative of a check-out right displayed on the sub-screen 73 by using the pointing device, and then moves the icon into the sub-screen 74, as indicated by the arrow A1 or A2. The input unit 22 interprets this drag-and-drop operation as a check-out instruction.

In the example shown in FIG. 13a, one check-out right to a content 61 exists in the data processing apparatus 2. Therefore, the content 61 is checked out. However, no check-out right to

a content 62 exists in the data processing apparatus 2. Therefore, a warning screen 75 is displayed, indicating that an unallowable check-out instruction has been made. On the warning screen 75, a message prompting for purchase of a check-out right is displayed.

5 Through the warning screen 75, the user can immediately purchase a check-out right to the content 62.

If the check-out right to the content 62 is purchased, the content 62 is checked out. After the check-out process, a screen as shown in FIG. 13b is displayed. Through this display screen,
10 the user can recognize that the contents 61 and 62 have been checked out.

On the other hand, as shown in FIG. 14a, a sub-screen 77 indicating contents in the data processing apparatus 2 and a sub-screen 78 indicating contents in the external storage medium
15 7 are displayed on a display screen 76 during the check-in process. The user selects a content displayed in the sub-screen 78 with the pointing device, and moves the selected content into the sub-screen 77, as indicated by the arrow A3 or A4. The input unit 22 interprets that this drag-and-drop operation as a check-in
20 instruction.

In the example of FIG. 14a, one check-out right in use for a content 61 exists in the data processing apparatus 2. In other words, the content 61 has been checked out to the external storage medium 7 from the data processing apparatus 2. Therefore, the
25 content 61 is checked in, and the check-out right to the content

61 is recovered.

However, no check-out right in use for the content 62 exists in the data processing apparatus 2. In other words, the content 62 has been checked out to the external storage medium 7 not by the data processing apparatus 2. Therefore, a warning screen 79 is displayed, indicating that an unallowable check-in instruction has been made. After the check-in process, a screen as shown in FIG. 14b is displayed. Through this display screen, the user can recognize that the content 61 has been checked in, while the content 62 has not.

Furthermore, in the example shown in FIGS. 14a and 14b, if a check-in instruction is made for a content titled "PPPPP" that does not exist in the data processing apparatus 2, the warning screen 79 is also displayed.

For displaying the above described screens, the input unit 22, the control unit 17, and the display unit 23 operate as follows. The input unit 22 receives display position information 35 from the display 23. The display position information 35 indicates the display positions of the sub-screens and the icons indicative of the process rights. By referring to the display position information 35, the input unit 22 outputs the instruction 30 when determining that an input of position information on the screen or movement of the position can be taken as an instruction.

The control unit 17 operates according to the flowchart shown in FIG. 6. If determining that the check-out/check-in

instruction is not to be executed, the control unit 17 produces the control signal 32 to instruct the display unit 23 to display the warning screen (step S106). Receiving the control signal 32, the display unit 23 adds the warning screen 75 or 79 to the screen
5 for display.

As stated above, in the data processing apparatus according to the present embodiment, the warning screen is displayed when a check-out/check-in instruction that cannot be processed is made. Therefore, the user can easily recognize that the check-
10 out/check-in instruction has not been executed. Furthermore, when check-out cannot be made, the warning screen is displayed including a message for prompting the user to purchase the check-out right. Therefore, the user can immediately purchase the check-out right through the warning screen.

15 (Third Embodiment)

FIG. 15 is a block diagram showing the structure of a data processing apparatus according to a third embodiment of the present invention. The data processing apparatus 3 shown in FIG. 15 includes the input unit 10, the distributed data storage unit
20 11, the purchase management table 12, the purchase process unit 13, the data conversion unit 14, the internal data storage unit 15, the copyright management table 16, the control unit 17, the playback unit 18, the check-out/check-in unit 19, a reference data editing unit 24, and a reference data storage unit 25. The data
25 processing apparatus 3 is used in the same music distribution

system as that for the data processing apparatus 1 according to the first embodiment, and characterized in that new data for referring to distributed music data is used therein. The components in the third embodiment identical to those in the first
5 embodiment are provided with the same reference numerals, and their description is omitted herein.

For referring to the distributed music data, the data processing apparatus 3 uses new data called reference data. The reference data is used to define the music data that includes the
10 original music data and new contents. For referring to the original music data from the reference data, an identifier of a package including the original music data (hereinafter referred to as reference package) is used.

FIG. 16a is the same drawing as FIG. 3a, showing the
15 distribution format of the music data. FIG. 16b is a diagram showing a format of the reference data. The reference data includes, as shown in FIG. 16b, a header 80, a reference package identifier 81, a plurality pieces of reference information 82, and a plurality of contents 83. The header 80 includes
20 information about the structure of the reference data such as the position and size of other data. The reference package identifier 81 is an identifier for the reference package. The content 83 is content data to be substituted or added to the reference package.

25 The reference information 82 indicates details on

substitution or addition of a content. The reference information 82 indicating substitution of the content is composed of a substitution flag 84, a content identifier before substitution 85, and a content identifier after substitution 86. This reference information 82 indicates that the content 83 that is included in the reference data with the content identifier after substitution 86 is substituted by the content 42 that is included in the reference package with the content identifier before substitution 85. Further, the reference information 82 indicating addition of the content is composed of an additional flag 87 and an addition content identifier 88. This reference information indicates that the content included in the reference data with the addition content identifier 88 is added to the reference package.

The reference data editing unit 24 edits the reference data by following a reference data editing instruction 36 supplied by the input unit 10. The reference data storage unit 25 stores the reference data edited by the reference data editing unit 24.

When receiving from the control unit 17 an instruction for playing back the reference data, the playback unit 18 newly generates navigation information, and plays back the music data with this navigation information. In other words, the playback unit 18 extracts the reference package identifier 81 from the specified reference data. The playback unit 18 then reads the navigation information 41 included in the package having the

reference package identifier 81, and expands it on the memory therein. The playback unit 18 then edits the navigation information expanded on the memory by using the reference information 82 included in the reference data. For example, if
5 the reference information 82 indicates substitution of the content, the playback unit 18 substitutes the content identifier after substitution 86 for the content identifier before substitution 85 included in the navigation information on the memory. With this substitution, new navigation information is
10 generated.

The playback unit 18 carries out playback based on the generated navigation information. Since the generated navigation information includes the content identifier after substitution 86 instead of the content identifier before
15 substitution 85, the content 83 included in the reference data 83 is played back instead of the content 42 included in the reference package. Therefore, music data with the user's data substituted or added thereto can be defined, and the defined data can be processed for playback and other purposes.

20 As mentioned above, in the data processing apparatus according to the present embodiment, the reference data for referring to the original music data is generated, and the music data is played back with the reference data. Therefore, without changing the navigation information included in the distributed
25 original music data, the user's content can be freely substituted

or added to the original music data. Furthermore, the reference data is composed only of the reference information and the user's content, and does not include the copyright management information. Therefore, the reference information can be
5 separately distributed to other users for use.

Note that the data processing apparatuses according to the first to third embodiments can be achieved by combining a computer and a program operable on the computer. The data processing apparatus of the present invention can be realized by recording
10 the program on a recording medium typified by a floppy disk and installing the program in an arbitrary computer system.

While the invention has been described in detail, the foregoing description is in all aspects illustrative and not restrictive. It is understood that numerous other modifications
15 and variations can be devised without departing from the scope of the invention.

WHAT IS CLAIMED IS:

1. A data processing apparatus executing a process on copyrighted data within a right obtained, comprising:

data storage means operable to store the data;

right information storage means operable to store a process
5 right that is required for the process on the data stored in said data storage means;

input means operable to input an instruction for the data stored in said data storage means;

control means operable to determine, based on said process
10 right stored in said right information storage means, whether said instruction is to be executed or not;

process execution means operable to execute said instruction; and

display means operable to display said process right stored
15 in said right information storage means on a screen.

2. The data processing apparatus according to claim 1, further comprising:

data receiving means operable to receive the data stored in said data storage means through a communication channel, and
5 obtain said process right stored in said right information storage means through the communication channel.

3. The data processing apparatus according to claim 1,
wherein

said process execution means includes data copy means
operable to copy the data stored in said data storage means to
5 a removable storage medium and delete the data copied to said
storage medium based on a determination by said control means.

4. The data processing apparatus according to claim 3,
wherein

said right information storage means stores storage medium
information for identifying said storage medium, and
5 said display means displays said storage medium information
on a screen.

5. The data processing apparatus according to claim 4,
wherein

when said input means selects the data copied to said
storage medium, said display means displays the storage medium
5 information of said storage medium on the screen.

6. The data processing apparatus according to claim 4,
wherein

said storage medium information is a storage medium
identifier unique to said storage medium.

7. The data processing apparatus according to claim 4,
wherein

said storage medium information is an identifier assigned
to said storage medium for identification.

8. The data processing apparatus according to claim 3,
wherein

said control means outputs a warning signal when
determining that said instruction for copying the data to said
5 storage medium is not to be executed; and

said display means displays a warning screen based on said
warning signal.

9. The data processing apparatus according to claim 8,
wherein

said display means makes on said warning screen a display
for prompting a user to obtain a process right required for data
5 copy.

10. The data processing apparatus according to claim 3,
wherein

said control means outputs a warning signal when
determining said instruction for deleting the data from said
5 storage medium is not to be executed, and

said display means displays a warning screen based on said

warning signal.

11. The data processing apparatus according to claim 1,
wherein

said display means displays one or more icons corresponding
to said process right stored in said right information storage
5 means on the screen.

12. The data processing apparatus according to claim 11,
wherein

said display means displays on the screen as many icons as
the number of executions specified by said process right stored
5 in said right information storage means.

13. The data processing apparatus according to claim 1,
wherein

said display means displays on the screen said process right
to data that can be processed in a set process mode.

14. The data processing apparatus according to claim 1,
wherein

said display means displays on the screen said process right
stored in said right information storage means by switching a
5 display method based on a set display mode.

15. The data processing apparatus according to claim 1,
wherein

said control means outputs a warning signal when
determining that said instruction is not to be executed, and

5 said display means displays a warning screen based on said
warning signal.

16. A data processing method for executing a process on
copyrighted data within a right obtained, comprising the steps
of:

storing the data;

5 storing a process right that is required for the process
on the data stored in said data storing step;

inputting an instruction for the data stored in said storing
step;

determining, based on said process right stored in said
10 storing step, whether said instruction is to be executed or not;

executing said instruction; and

displaying said process right stored in said storing step
on a screen.

17. A recording medium with a program recorded therein,
said program for executing, on a computer, a data processing
method of processing copyrighted data within a right obtained,
said method comprising the steps of:

ABSTRACT OF THE DISCLOSURE

An internal data storage unit 15 stores distributed music data. A copyright management table 16 stores a process right to
5 each music data item. This process right includes a playback right and a right to copy the data to an external storage medium 7. A control unit 17 refers to the process right stored in the copyright management table 16 to determine whether an inputted
10 instruction 30 can be executed or not. If determining that the instruction 30 can be executed, the control unit 17 supplies a control signal 32 to a playback unit 18 or other relevant process unit. A display unit 21 displays on a screen the process right stored in the copyright management table 16 based on an operation mode set in a mode storage unit 20. The playback and copy rights
15 to the music data are displayed by using icons. If an icon indicating a copy right in use is selected, information about the external storage medium 7 to which the data has been copied is displayed. If the instruction 30 that cannot be executed is supplied, a warning screen is displayed.

FIG. 1




FIG. 2




FIG. 3 a




FIG. 3 b




FIG. 3 c




FIG. 5

50 PACKAGE IDENTIFIER	51 CONTENT IDENTIFIER	52 PURCHASE CONDITION	53 DATE OF RIGHT PURCHASING	54 DECRYPTION KEY
789456	12000001	PLAYBACK: 10 TIMES	1999/8/11	xxxxxxx
987650	190000078	PLAYBACK: 30 DAYS	1999/8/21	yyyyyyyy
asdre78	190000435	FULL PURCHASE (3 CHECK-OUTS)	1999/8/22	zzzzzzzz
987650	190005541	TEST LISTENING: 10 SECONDS	1999/8/21	uuuuuuuu

(a)

55 NUMBER OF PLAYBACKS	56 NUMBER OF CHECK-OUTS	57 CHECK-OUT DESTINATION INFORMATION
5	0	—
0	0	—
0	2	SD54862 (SD Card No.1) DVD78951 (Children Music Collection)
0	0	—

(b)

FIG. 6





FIG. 7







- 68  CHECK-OUT AVAILABLE
- 69  CHECK-OUT IN USE
- 70  CHECK-OUT NOT AVAILABLE
- 71  PLAYBACK AVAILABLE

FIG. 8

PROCESS MODE	DISPLAYED CONTENTS
PLAYBACK	<ul style="list-style-type: none"> •CONTENT WITH PLAYBACK RIGHT THAT SATISFIES PLAYBACK CONDITION OBTAINED •RIPPED CONTENT WITH CHECK-OUT RIGHT
CHECK-OUT	<ul style="list-style-type: none"> •PURCHASED CONTENT THAT SATISFIES CHECK-OUT CONDITION •RIPPED CONTENT THAT SATISFIES CHECK-OUT CONDITION
MOVE	<ul style="list-style-type: none"> •PURCHASED CONTENT THAT IS NOT CHECKED-OUT •RIPPED CONTENT THAT IS NOT CHECKED-OUT

FIG. 9

DISPLAY MODE	DISPLAY METHOD
MINIMUM DISPLAY	•DISPLAY TITLE AND PLAYBACK DURATION OF CONTENT THAT CAN BE PROCESSED
SELECTION-DISABLED DISPLAY	•DISPLAY TITLES AND PLAYBACK DURATIONS OF ALL CONTENTS •DISPLAY CONTENT THAT CANNOT BE PROCESSED AS UNSELECTABLE
ICON DISPLAY	•DISPLAY TITLES AND PLAYBACK DURATIONS OF ALL CONTENTS •DISPLAY PROCESS RIGHT WITH ICON
NORMAL DISPLAY	•DISPLAY COPYRIGHT MANAGEMENT INFORMATION FOR ALL CONTENTS IN TABLE FORM

FIG. 10

<div>PROCESS MODE</div> <div>DISPLAY MODE</div>	MINIMUM DISPLAY	SELECTION-DISABLED DISPLAY	ICON DISPLAY	NORMAL DISPLAY
PLAYBACK	•DISPLAY CONTENT THAT CAN BE PLAYED BACK AT THE MINIMUM	•DISPLAY ALL CONTENTS AT THE MINIMUM •SELECTION-DISABLED DISPLAY IF CONTENT CANNOT BE PLAYED BACK	•DISPLAY ALL CONTENTS AT THE MINIMUM •DISPLAY PROCESS RIGHT WITH ICON	•DISPLAY ALL CONTENTS IN TABLE FORM
	•DISPLAY CONTENT THAT CAN BE CHECKED OUT AT THE MINIMUM	•DISPLAY ALL CONTENTS AT THE MINIMUM •SELECTION-DISABLED DISPLAY IF CONTENT CANNOT BE CHECKED OUT		
MOVE	•DISPLAY CONTENT THAT CAN BE MOVED AT THE MINIMUM	•DISPLAY ALL CONTENTS AT THE MINIMUM •SELECTION-DISABLED DISPLAY IF CONTENT CANNOT BE MOVED		

FIG. 11




FIG. 12




FIG. 13 a




FIG. 13 b




FIG. 14a




FIG. 14b




FIG. 15




FIG. 16 a




FIG. 16 b





FIG. 17 PRIOR ART



DECLARATION AND POWER OF ATTORNEY FOR U.S. PATENT APPLICATION

(X) Original () Supplemental () Substitute () PCT () Design

As a below named inventor, I hereby declare that: my residence, post office address and citizenship are as stated below next to my name; that I verily believe that I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural inventors are named below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

Title: COPYRIGHTED DATA PROCESSING METHOD AND APPARATUS

of which is described and claimed in:

(X) the attached specification, or

() the specification in the application Serial No. _____ filed _____;
and with amendments through _____ (if applicable), or

() the specification in International Application No. PCT/ _____, filed _____, and as amended
on _____ (if applicable).

I hereby state that I have reviewed and understand the content of the above-identified specification, including the claims, as amended by any amendment(s) referred to above.

I acknowledge my duty to disclose to the Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, §1.56.

I hereby claim priority benefits under Title 35, United States Code, §119 (and §172 if this application is for a Design) of any application(s) for patent or inventor's certificate listed below and have also identified below any application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

COUNTRY	APPLICATION NO.	DATE OF FILING	PRIORITY CLAIMED
Japan	247924/1999	September 1, 1999	Yes

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose information material to patentability as defined in Title 37, Code of Federal Regulations, §1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of this application.

APPLICATION SERIAL NO.	U.S. FILING DATE	STATUS: PATENTED, PENDING, ABANDONED

And I hereby appoint John T. Miller, Reg. No. 21,120; Michael R. Davis, Reg. No. 25,134; Matthew M. Jacob, Reg. No. 25,154; Jeffrey Noltan, Reg. No. 25,408; Warren M. Cheek, Jr., Reg. No. 33,367; Nils E. Pedersen, Reg. No. 33,145 and Charles R. Watts, Reg. No. 33,142, who together constitute the firm of WENDEROTH, LIND & PONACK, L.L.P., attorneys to prosecute this application and to transact all business in the U.S. Patent and Trademark Office connected therewith.

I hereby authorize the U.S. attorneys named herein to accept and follow instructions from OGASAWARA PATENT OFFICE as to any action to be taken in the U.S. Patent and Trademark Office regarding this application without direct communication between the U.S. attorneys and myself. In the event of a change in the persons from whom instructions may be taken, the U.S. attorneys named herein will be so notified by me.

Send Correspondence to

WENDEROTH, LIND & PONACK, L.L.P.
2033 K Street, N.W., Suite 800
Washington, DC 20006

Direct Telephone Calls to:

WENDEROTH, LIND & PONACK, L.L.P.
Area Code (202) 721-8200

Direct Facsimile Messages to:

Area Code (202) 721-8250

Full Name of First Inventor	FAMILY NAME SHODA	FIRST GIVEN NAME Yukie	SECOND GIVEN NAME
Residence & Citizenship	CITY Moriguchi	STATE OR COUNTRY Japan	COUNTRY OF CITIZENSHIP Japan
Post Office Address	ADDRESS 1-22-18-703, Higashimachi, Moriguchi-shi, Osaka-fu, Japan	CITY	STATE OR COUNTRY ZIP CODE 570-0013
Full Name of Second Inventor	FAMILY NAME KOZUKA	FIRST GIVEN NAME Masayuki	SECOND GIVEN NAME
Residence & Citizenship	CITY Arcadia	STATE OR COUNTRY California	COUNTRY OF CITIZENSHIP Japan
Post Office Address	ADDRESS 501 Coyle Avenue, Arcadia, California, U.S.A.	CITY	STATE OR COUNTRY ZIP CODE 91008
Full Name of Third Inventor	FAMILY NAME TOKUDA	FIRST GIVEN NAME Katsumi	SECOND GIVEN NAME
Residence & Citizenship	CITY Toluca Lake	STATE OR COUNTRY California	COUNTRY OF CITIZENSHIP Japan
Post Office Address	ADDRESS 10707 Moorpark St., #304, Toluca Lake, California, U.S.A.	CITY	STATE OR COUNTRY ZIP CODE 91604
Full Name of Fourth Inventor	FAMILY NAME HIRATA	FIRST GIVEN NAME Noboru	SECOND GIVEN NAME
Residence & Citizenship	CITY Katano	STATE OR COUNTRY Japan	COUNTRY OF CITIZENSHIP Japan
Post Office Address	ADDRESS 2-1-16-505, Mukaida, Katano-shi, Osaka-fu, Japan	CITY	STATE OR COUNTRY ZIP CODE 576-0065

Full Name of Fifth Inventor	FAMILY NAME	FIRST GIVEN NAME	SECOND GIVEN NAME
Residence & Citizenship	CITY	STATE OR COUNTRY	COUNTRY OF CITIZENSHIP
Post Office Address	ADDRESS	CITY	STATE OR COUNTRY ZIP CODE

Full Name of Sixth Inventor	FAMILY NAME	FIRST GIVEN NAME	SECOND GIVEN NAME
Residence & Citizenship	CITY	STATE OR COUNTRY	COUNTRY OF CITIZENSHIP
Post Office Address	ADDRESS	CITY	STATE OR COUNTRY ZIP CODE

Full Name of Seventh Inventor	FAMILY NAME	FIRST GIVEN NAME	SECOND GIVEN NAME
Residence & Citizenship	CITY	STATE OR COUNTRY	COUNTRY OF CITIZENSHIP
Post Office Address	ADDRESS	CITY	STATE OR COUNTRY ZIP CODE

I further declare that all statements made herein of my own knowledge are true, and that all statements on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

1st Inventor Yukie Shoda Date 24 August, 2000
Yukie SHODA
2nd Inventor Masayuki Kozuka Date 24 August, 2000
Masayuki KOZUKA
3rd Inventor Katsumi Tokuda Date 24 August, 2000
Katsumi TOKUDA
4th Inventor Noboru Hirata Date 24 August, 2000
Noboru HIRATA
5th Inventor _____ Date _____
6th Inventor _____ Date _____
7th Inventor _____ Date _____

The above application may be more particularly identified as follows:

U.S. Application Serial No. _____ Filing Date _____
Applicant Reference Number FP-0632 Atty Docket No. _____
Title of Invention COPYRIGHTED DATA PROCESSING METHOD AND APPARATUS